

Amendment to the claims:

1. (Currently amended) ~~[[An]]~~ A two component ostomy device ~~for attachment to the body, the device including at least one component having an adhesive thereon that adheres said at least one component to the body and/or to another component of the device, comprising a body attaching component adhesively adherable to the body and a pouch component, said two components being separably adherable to each other at an adhesive interface and positionable on the body to collect stomal fluid,~~ said adhesive ~~comprising~~ interface including one or more polysiloxanes, or one or more polysiloxanes and at least one silicate resin including their blends and reaction products, said adhesive interface being resistant to migration of stomal fluids into said adhesive interface.

2. (Currently amended) The two component ostomy device of claim 1 wherein said adhesive interface is coated onto one of said components ~~having one or two components.~~

3. (Currently amended) The ostomy device of claim 1 wherein said adhesive interface includes between about 5% and about 65% hydrocolloids.

Claim 4 (canceled)

5. (Currently amended) The two component ostomy device of claim 1 wherein said adhesive interface comprises one or more polysiloxanes selected from the group consisting of polydimethylsiloxane, polymethylphenylsiloxane, polydimethyldiphenylsiloxane, polydimethylmethylphenylsiloxane, polydiphenylmethylphenylsiloxane, polyalkylsiloxanes, polyorganosiloxanes, diorganopolysiloxane gums, or copolymers or combinations thereof.

6. (Currently amended) The two component ostomy device of claim 1 wherein said adhesive interface is blended with a plasticizing oil.

7. (Currently amended) The two component ostomy device of claim 6 wherein said plasticizing oil is polydimethylsiloxane.

8. (Currently amended) The two component ostomy device of claim 1 wherein the polysiloxane or polysiloxanes ~~or the adhesive is~~ are blended, treated or reacted with one or more silicate resins.

9. (Currently amended) The two component ostomy device of claim 8 wherein any of the silicate resins comprises tetrakis (trimethylsiloxy) silicate, a trimethylsiloxy and hydroxy end-blocked silicate structure, or a silicate resin of the form tetrakis (trialkylsiloxy) silicate, optionally having silanol functionality or otherwise substituted with hydroxyl groups, and combinations thereof.
10. (Currently amended) The two component ostomy device of claim 1 wherein said adhesive interface includes material having silanol functionality.
11. (Currently amended) The two component ostomy device of claim 1 wherein the ratio of silicate resin to polysiloxane is between about 75:25 and about 25:75.
12. (Currently amended) The two component ostomy device of claim 1 further including additional plasticizers, tackifiers, catalysts or other property modifiers including organic esters, siloxylated diols, hydrocarbon plasticizers, calcium or magnesium stearate, amorphous precipitated silica, fumed silica, and ethyl cellulose, or combinations thereof.
13. (Currently amended) The two component ostomy device of claim 12 wherein the plasticizer, tackifier or other property modifier is a silanol, silane, siloxane, or silicate.
14. (Currently amended) The two component ostomy device of claim 1 wherein said adhesive interface contains a medicament for treatment or protection of peristomal skin.
15. (Currently amended) The two component ostomy device of claim 12 wherein the plasticizing component comprises from about 0.5 to about 20 percent of the solvent free dry adhesive formulation.
16. (Currently amended) The two component ostomy device of claim 1 ~~having two components adhesively and separately coupleable~~ wherein one component includes an adhesive coated film or foam having a peel strength from a polyethylene or ethylene copolymer film between 0.5 and 9.0 Newtons/inch using the test method of ASTM D3330 wherein a stainless steel substrate is replaced by polyethylene or ethylene copolymer film.

17. (Currently amended) The two component ostomy device of claim 1 ~~having a body attaching component and an effluent or fluid containing component~~ and wherein the peel strength of the adhered portions of the body attaching component and the effluent or fluid containing pouch component is between 0.5 and 9.0 Newtons/inch as measured per ASTM D3330, wherein a stainless steel substrate is replaced by a film used on a component.

18. (Currently amended) The two component ostomy device of claim 1 wherein the adhesive interface has a coat weight between about 10 grams/square meter and about 150 grams per square meter.

Claims 19-20 (canceled)

21. (New) The two component ostomy device of claim 1 further comprising an adhesive for adhering said body attaching component to the body, said adhesive including one or more polysiloxanes, or one or more polysiloxanes and at least one silicate resin including their blends and reaction products.